



## Ibuprofen (Motrin, Advil) Dosage Chart

Give the weight-appropriate dosage listed below every **6-8 hours** as needed for temperature over 100.4°F or for pain. Always give with food. **Do not exceed 4 doses in a 24-hour period.**

**\*\*Do not give Ibuprofen if child is less than 6 months old or if your child has a kidney problem\*\***

| Weight (pounds) | Infant Drops<br>50mg / 1.25ml | Children's Liquid<br>100mg / 5mg |
|-----------------|-------------------------------|----------------------------------|
| 8-9             | 40 mg (1.0 ml)                |                                  |
| 10-11           | 50 mg (1.25 ml)               |                                  |
| 12-13           | 60 mg (1.5 ml)                |                                  |
| 14-16           | 70 mg (1.75 ml)               |                                  |
| 17-18           | 80 mg (2.0 ml)                |                                  |
| 19-22           | 90 mg (2.25 ml)               |                                  |
| 22-26           | 100 mg (2.5 ml)               | 5 ml (1 tsp)                     |
| 28-31           | 120 mg (3.0 ml)               | 6 ml                             |
| 32-35           | 140 mg (3.5 ml)               | 7 ml (1.5 tsp)                   |
| 36-39           | 160 mg (4.0 ml)               | 8 ml                             |
| 40-44           |                               | 9 ml                             |
| 45-48           |                               | 10 ml (2 tsp)                    |
| 49-53           |                               | 11 ml                            |
| 54-57           |                               | 12 ml                            |
| 58-62           |                               | 13 ml                            |
| 63-66           |                               | 14 ml                            |
| 67-71           |                               | 15 ml (3 tsp)                    |
| 72-75           |                               | 16 ml                            |
| 76-80           |                               | 17 ml (3.5 tsp)                  |
| 81-84           |                               | 18 ml                            |
| 85-88           |                               | 19 ml                            |
| 89 lbs and up   |                               | 20 ml (4 tsp)                    |

## Acetaminophen (Tylenol) Dosage Chart

Give the weight-appropriate dosage listed below every **4-6 hours** as needed for temperature over 100.4°F or for pain. **Do not exceed 5 doses in a 24-hour period.**

**\*\*Do not give Tylenol if child is under 2 months of age or if they have not had their first set of immunizations** without first consulting a doctor. Do not use Tylenol if your child has any liver problems \*\*

| Infants' Acetaminophen Oral Suspension 160 mg / 5 ml |           |                 | Chewable Tablets 80 mg tablets | Junior Strength 160 mg tablets |
|--|-----------|-----------------|--------------------------------|--------------------------------|
| Weight (lbs)   | Age (mos) | Dose (ml)       | Dose (tablets)                 | Dose (tabs or caps)            |
| 6-11   | 0-3       | 1.25 ml         |                                |                                |
| 12-17  | 4-11      | 2.5 ml          |                                |                                |
| 18-23  | 12-23     | 3.75 ml         |                                |                                |
| 24-35  | 24-36     | 5 ml            | 2 tabs                         | 1 tab/cap                      |
| 36-39  |           | 8 ml            | 3 tabs                         | 1.5 tabs/caps                  |
| 40-44  |           | 9 ml            | 3 tabs                         | 1.5 tabs/caps                  |
| 45-48  |           | 10 ml (2 tsp)   | 4 tabs                         | 2 tabs/caps                    |
| 49-53  |           | 11 ml           | 4 tabs                         | 2 tabs/caps                    |
| 54-57  |           | 12 ml (2.5 tsp) | 5 tabs                         | 2.5 tabs/caps                  |
| 58-62  |           | 13 ml           | 5 tabs                         | 2.5 tabs/caps                  |
| 63-66  |           | 14 ml           | 5 tabs                         | 2.5 tabs/caps                  |
| 67-71  |           | 15 ml (3 tsp)   | 6 tabs                         | 3 tabs/caps                    |
| 72-75  |           | 16 ml           | 6 tabs                         | 3 tabs/caps                    |
| 76-80  |           | 17 ml (3.5 tsp) | 7 tabs                         | 3.5 tabs/caps                  |
| 81-84  |           | 18 ml           | 7 tabs                         | 3.5 tabs/caps                  |
| 85-88  |           | 19 ml           | 7 tabs                         | 3.5 tabs/caps                  |
| 89 lbs and up  |           | 20 ml (4 tsp)   | 8 tabs                         | 4 tabs/caps                    |